









www.pilimodpilise.com



pilimod@pilimodpilise.com



+90 555 8025364 +90 212 2243644



@pilimodpilise











Flat Pleats Straight

Pleat sizes range from 3mm to 40mm. Fabric width is up to 1500 mm

Printed Flat Pleats

After the pleating process, heat printing is done in a press or transfer machine.

Voided Flat Pleats


The gap part can be adjusted to the desired extent according to the width of the fabric.













Crystal Pleats

Its depth can be applied in the range of 2 - 7 mm. Fabric width can be made up to 1500 mm.


Voided Crystal Pleats

Its depth can be made in the range of 2 - 7 mm. The gap part can be adjusted to the desired extent.


Zig Zag Pleats

Its density can be thinned and thickened.
Fabric width can be made up to 1500 mm.













Wrinkled Pleats

Pleat density can be thinned and thickened.

Fabric width can be made up to 1500 mm.

Nail Pleats

Pattern density can be thinned and thickened with different combs.

Fabric width can be made up to 1500 mm.

Shir Pleats

Pleat density can be thinned and thickened.

Fabric width can be made up to 1500 mm.













Box Pleats Straight

Pleat sizes can be thinned and thickened.

Fabric width can be made up to 1500 mm.


Karma Pleats

Patterns can be adjusted according to the desired density with the automation system.


Fabric width can be made up to 1500 mm.

Crinkle Pleats


Pleat density can be thinned and thickened.
Fabric width can be made up to 1500 mm.













Laser Cut

Desired design and size can be cut.

Curtain Pleats

Pattern density can be thinned and thickened. Fabric width can be made up to 3000 mm.

Crash Pleats

Different images and densities can be given as longitudinal and curvy.

Paint can be done after the crash process.













Sunray Pleats

Pilisoley process is carried out in molds with different throat dimensions in the range of 800mm - 1450mm, consisting of 32, 40, 48, 56, 64 and 80 slices.



Painted Sunray Pleats

After the sunray process, the ends of the pleats are dyed.



Flat Sunray Pleat

It is made by making the sunray molds horizontal. Painting process can also be done after sunray process.








You can visit our website for our design and model range, and contact the numbers below.


Patterned Sunray Pleats

patterned sunray process is performed in molds with different throat sizes, with lengths in the range of 800mm - 1450mm.

Special Mold Models

It is a type of pleat that comes out of the machine in the form of molds and is produced specifically for molds.





Pilimon



www.pilimodpilise.com



pilimod@pilimodpilise.com



+90 555 8025364 +90 212 2243644





@pilimodpilise



Hürriyet Mh Sevim Sk No:16 Kağıthane